



**PRESS RELEASE
FOR IMMEDIATE RELEASE**

**YORBEAU REPORTS ASSAY RESULTS FROM THE CINDERELLA AND
AUGMITTO AREAS ON THE ROUYN PROJECT, QUÉBEC.**

Montreal, Quebec, May 31, 2022 - Yorbeau Resources Inc. (TSX: YRB) ("Yorbeau" or the "Company") is pleased to report that its partner IAMGOLD Corporation ("IAMGOLD") has received all the assay results from its 2021 exploration diamond drilling program completed on the Cinderella and Augmitto areas at the Rouyn Project. IAMGOLD holds a purchase option with Yorbeau for the Rouyn Project which is located 4 km south of Rouyn-Noranda, Québec, and approximately 45 kilometers southwest of IAMGOLD's Westwood operation.

The Company is reporting assay results from twenty-eight (28) diamond drill holes from which three (3) were abandoned due to excessive deviation. This part of the 2021 drilling program has totaled 10,418 metres. This program tested a segment of the Cadillac Fault located approximately 1 to 3 kilometres west of the Lac Gamble zone.

The assay results reported herein are provided in Table 1, and include the following highlights that are also illustrated on a series of longitudinal sections attached to this news release:

Cinderella East sector:

- **Drill hole CI-21-786: 2.6 metres grading 13.54 g/t Au in the Main zone**
- **Drill hole CI-21-788: 4.0 metres grading 5.21g/t Au in the Footwall Contact zone**

Cinderella Central sector:

- **Drill hole CI-21-794: 5.2 metres grading 84.0 g/t Au in the Main zone**
includes: 2.0 metres grading 213 g/t Au
- **Drill hole CI-21-796: 4.2 metres grading 24.7 g/t Au in the main zone**
includes: 1.0 metres grading 102 g/t Au
- **Drill hole 11-CI-561W: 10.4 metres grading 4.15 g/t Au in the main zone**
includes: 3.1 metres grading 12.14 g/t Au

Augmitto sector:

- **Drill hole AUG-21-800: 1.2 metres grading 36.3 g/t Au in the Footwall Contact zone**
- **Drill hole AUG-21-801A: 6.9 metres grading 3.10 g/t Au in the Upper zone**
- **Drill hole 11-AUG-544W: 1.0 metre grading 26.6 g/t Au in the Main zone**

The diamond drilling program had for main objective to test further areas where previous drilling identified zones of mineralization and to evaluate its continuity with potential to outline a resource. All drill holes successfully intersected the targeted sheared Cadillac-Piché corridor, which hosts several mineralized structures emplaced at different levels in the stratigraphy.

The Upper and Main zones are associated with alteration varying from several metres to greater than ten metre in width, hosted in the ultramafic rocks of the Piché Group, exhibiting variable carbonatization, fuchsite, silicification, and crosscut by a network of white quartz and brown tourmaline stockwork veins and breccias. Gold mineralization occurs as small specks of visible free gold associated with minor sulphides in quartz-tourmaline veinlets.

At the south contact of the Piché Group with the sedimentary sequence, another mineralization style (the Footwall contact zone) is frequently intersected and is characterized by grey quartz veinlets containing rare visible gold and up to 10% disseminated to narrow massive bands of Arsenopyrite adjacent to the veins. Occasionally similar mineralization is also observed further away from the contact and exclusively hosted in the sediments. This zone is referred to as the Footwall zone.

Results in the Cinderella Central sector seems to demonstrate a certain continuity of the High-Grade mineralization.

Next Steps

This drilling program has been conducted in the second half of 2021 and long delays to receive the assay results were experienced. These results are now integrated with the existing geological, geochemical and structural information to support the development and refinement of preliminary deposit models to support a future potential maiden resource estimate targeted for the end of 2022.

An additional exploration drilling phase was also recently completed and tested the extensions to the east and to the west of the Lac Gamble zone. A total of 6,456 metres were drilled in eleven (11) holes including two (2) holes abandoned for technical problems. These assay results will be reported and integrated to the current database when received, validated and compiled.

Technical Information and Quality Control Notes

The drilling results contained in this news release have been prepared in accordance with National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101").

Mr. Laurent Hallé, P.Geo, Consulting geologist and qualified person for the purposes of NI 43-101 with respect to the technical information being reported on has read and approved this press release.

The design of the drilling program and interpretation of results is under the control of IAMGOLD's and Yorbeau's geological staff, including QPs employing strict protocols consistent with NI 43-101 and industry best practices. The sampling of, and assay data from, the drill core is monitored through the implementation of a quality assurance - quality control (QA-QC) program. Drill core (NQ size) is logged and samples are selected by geologists and then sawn in half with a diamond saw at the project site. Half of the core is retained at the site for reference purposes. Sample intervals may vary from 0.5 to 1.5 metres in length depending on the geological observations.

Half-core samples are packaged and transported in sealed bags to either AGAT laboratories ("AGAT") in Val d'Or, Québec, and Mississauga, Ontario, or to ALS Minerals Laboratory ("ALS") located in Val-d'Or, Québec. A formal chain-of-custody procedure was adopted for security of samples until their delivery at the laboratory. Samples are coarse crushed to a -10 mesh and then a 1,000 grams split is pulverized to 95% passing -150 mesh. AGAT prepare analytical pulps at their facilities located in Val-d'Or and processed the pulps at their Mississauga laboratory which is ISO / IEC 17025:2005 certified by the Standards Council of Canada. ALS processes analytical pulps directly at their facilities located in Val-d'Or which is ISO / IEC 17025 certified by the Standards Council of Canada. Samples are analyzed using a standard fire assay with a 50 grams charge with an Atomic Absorption (AA) finish. For samples that return assay values over 3.0 grams (for AGAT) or 5.0 grams per tonne (for ALS), another pulp is taken and fire assayed with a gravimetric finish. Core samples showing visible gold or samples which have returned values greater than 10.0 grams per tonne are processed with a protocol involving fine grinding of the entire sample, followed by metallic screen analysis of the entire pulverized material. Insertion of duplicate, blanks and certified reference standards in the sample sequence is done in all drill holes for quality control.

About the Rouyn Gold Project

The Rouyn Gold Property is located about 4 km south of Rouyn-Noranda, Quebec. With a long history of mining, the city of Rouyn-Noranda offers many advantages for mining and exploration, including political and social stability, good access and infrastructure, skilled mining personnel, and one of the most mining friendly jurisdictions in the world. The property covers a 12-kilometre stretch of the Cadillac-Larder Lake Break and contains four known gold deposits along the 6-km Augmitto-Astoria corridor situated on the western portion of the property. Two of the four deposits, Astoria and Augmitto, benefit from established underground infrastructure and have been the subject of technical reports that include resource estimates that were previously filed in accordance with Regulation NI 43-101.


The Lac Gamble zone is located between the Augmitto and the Astoria deposits. The exploration target potential at Lac Gamble is interpreted to be between 400,000 and 600,000 ounces of gold at a grade between 7.0 and 8.5 g/t Au. The potential quantity and grade of the exploration targets referred to are conceptual in nature and insufficient exploration work has been completed to define a mineral resource. The property may require significant future exploration to advance to a resource stage and there can be no certainty that the exploration target will result in a mineral resource being delineated. The exploration targets are consistent with similar deposits in the area, deposit models or derived from initial drilling results.

IAMGOLD holds a purchase option with Yorbeau for the Rouyn Project. Under the terms of the purchase option agreement, IAMGOLD can acquire a 100% interest in the project by completing remaining scheduled cash payments totaling C\$0.75 million and remaining exploration totaling approximately C\$1.2 million by December 2022 (as of March 31, 2022). By the end of the expenditure period, IAMGOLD must complete a resource estimate in accordance with NI 43-101, after which IAMGOLD, at its election, can purchase a 100% interest in the project, subject to a 2% net smelter return, by paying Yorbeau the lesser of C\$15 per resource ounce or C\$30 million.

About Yorbeau Resources Inc.

The Rouyn Property, wholly-owned by the Company, is subject to a definitive agreement signed in December 2018, whereby IAMGOLD has the option to acquire a 100% interest in the Rouyn property. In 2015, the Company expanded its exploration property portfolio by acquiring strategic base metal properties in prospective areas of the Abitibi Belt of Quebec that feature infrastructure favourable for mining development. The newly acquired base metal properties include the Scott Project in Chibougamau, which bears important mineral resources (see the press release dated March 30, 2017) and on which a positive Preliminary Economic Assessment was recently completed. For additional information on the Company, consult its website at www.yorbeauresources.com.

Cinderella East – Longitudinal Section (Longitudinal Section of the Main Zone)



Cinderella Central and West – Longitudinal Section
(Longitudinal Section of the Main Zone)




Table 1 : Rouyn Project Drilling Results - 2021 Drilling Program												
Hole No.	UTM NAD83 Zone 17			AZ (°)	DIP (°)	Depth / length (m)	From (m)	To (m)	Interval (m)	True Width ⁽¹⁾ (m)	Au ^{(2) (3)} (g/t)	NOTE
	Easting	Northing	Elevation									
Cinderella East Sector												
CI-21-784	643772	5339750	3278	184	-46	195	143.00	144.00	1.00	0.96	2.00	Footwall contact zone
CI-21-785	643711	5339770	3279	178	-50	219	115.00	117.50	2.50	2.33	5.28	Main zone
							171.85	173.00	1.15	1.07	1.04	Footwall-contact zone
							201.00	201.80	0.80	0.74	2.06	Footwall zone
CI-21-786	643738	5339961	3287	185	-74	552	450.00	452.60	2.60	2.08	13.54	Main zone
							500.90	507.00	6.10	4.88	1.01	Footwall-contact zone
							518.00	519.00	1.00	0.77	3.00	Footwall zone
CI-21-787	643708	5339832	3280	183	-55	330	189.70	190.70	1.00	0.90	1.89	Main zone
							247.50	249.00	1.50	1.36	1.94	Footwall contact zone
							252.30	258.30	6.00	5.43	2.75	Footwall contact zone
Including (3)							257.30	258.30	1.00	0.91	10.10	
CI-21-788	643611	5339789	3282	192	-49	252	162.00	163.00	1.00	0.93	3.20	Main zone
							196.00	197.00	1.00	0.93	1.81	Footwall-Contact zone
							200.00	204.00	4.00	3.72	5.21	Footwall-Contact zone
							211.35	212.35	1.00	0.91	1.04	Footwall zone
CI-21-789	643611	5339790	3282	184	-71	343	174.40	175.40	1.00	0.75	1.00	Main zone
							185.00	186.00	1.00	0.75	4.70	Main zone
							256.50	259.00	2.50	1.89	4.21	Footwall contact zone
CI-21-790	643660	5339784	3280	184	-52	234	144.00	144.80	0.80	0.73	1.40	Main zone
							192.40	193.50	1.10	1.01	1.36	Footwall contact zone
							198.00	199.00	1.00	0.92	1.13	Footwall contact zone
							202.00	202.85	0.85	0.78	1.73	Footwall contact zone
CI-21-791	643456	5339928	3284	185	-66	462	391.00	396.80	5.80	5.06	1.50	Footwall contact zone
							402.00	403.00	1.00	0.87	1.43	Footwall contact zone
							427.50	429.00	1.50	1.28	1.57	Footwall zone
CI-21-792	643509	5339922	3284	183	-62	21	Abandoned due to excessive deviation					
CI-21-792A	643508	5339922	3284	183	-62	450	No significant results					
Cinderella Central Sector												
CI-21-793	643040	5339998	3293	193	-72	612	No significant results					
CI-21-794	642948	5339798	3289	186	-61	393	205.55	206.55	1.00	0.84	2.70	Main zone
							210.80	216.00	5.20	4.39	84.04	Main zone
Including (3)							214.00	216.00	2.00	1.69	213.00	
							341.00	342.00	1.00	0.83	2.03	Footwall zone
CI-21-795	642947	5340001	3294	190	-65	582	46.50	51.20	4.70	3.33	3.45	Blake River Contact
							487.00	488.00	1.00	0.88	1.71	Main Zone
CI-21-796	642969	5339959	3293	178	-64	552	389.70	390.70	1.00	0.88	1.43	
							402.00	406.80	4.80	4.21	3.70	Upper zone
							412.80	417.00	4.20	3.69	24.71	Main zone
Including (3)							412.80	413.80	1.00	0.88	102.00	
							428.00	429.00	1.00	0.88	2.70	
CI-21-797	642993	5339870	3289	186	-59	447	278.00	279.00	1.00	0.89	1.08	Main zone
CI-21-798	642882	5339824	3291	178	-65	402	No significant results					
11-CI-561W	642974	5339888	3112	180	-65	372	427.00	437.40	10.40	9.68	4.15	Main Zone
Including (3)							432.25	435.30	3.05	2.84	12.14	
							444.00	445.00	1.00	0.93	1.64	Main Zone
							449.00	450.00	1.00	0.93	2.88	Main Zone
							561.00	562.50	1.50	1.37	2.27	Footwall zone
Cinderella West Sector												
10-CI-535W	642461	5339909	3115	169	-81	438	454.00	456.00	2.00	1.58	4.90	Main Zone
11-CI-553W	642525	5339920	2978	175	-77	336	530.00	531.00	1.00	0.86	1.80	Main zone
							645.00	646.50	1.50	1.27	2.33	Footwall zone
11-CI-553W2	642526	5339904	2924	177	-70	195	526.00	532.15	6.15	4.85	1.74	Upper zone
							538.00	542.00	4.00	3.18	1.21	Main zone
11-CI-562W	642577	5339926	3078	171	-74	405	477.00	478.00	1.00	0.89	1.10	Upper zone

Augmitto – Longitudinal Section
(Longitudinal Section of the Main Zone)




Table 1 (continued) : Rouyn Project Drilling Results - 2021 Drilling Program												
Hole No.	UTM NAD83 Zone 17			AZ (°)	DIP (°)	Depth / length (m)	From (m)	To (m)	Interval (m)	True Width ⁽¹⁾ (m)	Au ^{(2) (3)} (g/t)	NOTE
	Easting	Northing	Elevation									
Augmitto Sector												
AUG-21-799	642156	5339900	3292	179	-80	183	Abandoned and started over with AUG-21-800					
AUG-21-800	642156	5339900	3292	179	-84	630	439.50	447.00	7.50	5.61	1.48	Upper zone
							454.50	455.50	1.00	0.76	3.01	Main zone
							473.90	475.00	1.10	0.84	2.40	Main zone
							591.00	592.20	1.20	0.92	36.30	Footwall-Contact zone
AUG-21-801	641984	5339891	3292	182	-76	54	Abandoned due to excessive deviation					
AUG-21-801A	641984	5339891	3292	182	-76	576	408.60	415.50	6.90	5.38	3.10	Upper zone
Including (3)							410.00	411.05	1.05	0.82	9.40	
							451.80	453.30	1.50	1.19	1.54	Main zone
							469.50	470.30	0.80	0.63	1.38	Main zone
							481.30	485.00	3.70	2.94	3.91	Main zone
							570.00	571.50	1.50	1.20	2.61	Footwall-contact zone
11-AUG-544W	642043	5339874	3016	181	-66	361	478.00	479.00	1.00	0.85	10.20	Upper zone
							483.80	487.20	3.40	2.89	2.02	Upper zone
							524.00	525.00	1.00	0.85	1.46	Main zone
							551.75	552.75	1.00	0.86	26.60	Main zone
							622.50	623.50	1.00	0.86	1.18	Footwall-Contact zone
11-AUG-547W	641960	5339880	2979	180	-62	327	528.50	531.00	2.50	2.27	6.72	Upper zone
Including (3)							528.50	530.00	1.50	1.36	9.90	
AUG-17-679W	641393	5339999	2966	166	-78	495	No significant results					

10 418

Notes:

1. True widths of intersections are estimated at 75 to 96% of the core interval.
2. Drill hole intercepts are generally calculated with a lower cut of 1.0 g/t Au and may contain lower grade interval of up to 3 metres in length.
3. Assays are reported uncut but high grade sub-intervals are highlighted.
4. Drill holes with the suffix W are wedge cuts from previously drilled master holes.

For further information, please contact:

G. Bodnar Jr.
President, Chief Financial Officer
Ressources Yorbeau Inc.
gbodnar@yorbeauresources.com

Tel: 514-384-2202
Toll free in North America: 1-855-384-2202

Laurent Hallé P. Geo
Consulting geologist
Yorbeau Resources Inc.
lhalle@yorbeauresources.com

Tel: 819-764-6796

Forward-looking statements: Except for the statement of historical fact, all statements in this news release, including without limitation, regarding the prospects of the Rouyn project, drilling results, future plans and objectives are forward-looking statements which involve risks and uncertainties. There can be no assurance that such statements will prove to be accurate; actual results and future events could differ materially from those anticipated in such statements. Yorbeau disclaims any obligation.